

PRINT FILE NAMING: Advertiser_ArtName_FileSize(HxW)_Date(MM-DD-YY)

Example: McDonalds_3DollarMealDeal_14x48_01-03-25.pdf

We support the following Macintosh software: Adobe Photoshop CC, Abobe Illustrator CC, Adobe InDesign CC, and Adobe Acrobat. Please DO NOT submit designs constructed in Pagemaker, Quark, Freehand, Word, or PowerPoint. Please include all associated images and fonts with your files, or make sure to rasterize or outline all fonts in your graphic files. All creative files NEED TO BE APPROVED by Adams Outdoor Advertising before production and posting.

THE BULLETIN: Ranging from smaller size to traditional size billboards. All printed on vinyl which allows for the reuse of the same vinyl and increases life span of creative. With vinyl there is the added option of extensions.

| _ | | | | |
|-------------------|---------------------------------------|----------------|-------------------|--|
| | PRODUCT | LIVE AREA | FILE SET-UP SIZE | FILE SET-UP NOTES |
| | Bulletin 5'5"h x 11'5"w Jr. Poster | 5′5″h x 11′5″w | 3.208"h x 6.208"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 6'h x 12'w Jr. Poster | 6'h x 12'w | 3.5"h x 6.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 6'2"h x 12'w Jr. Poster | 6'2"h x 12'w | 3.583"h x 6.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 6'2.5"h x 12'w Jr. Poster | 6'2.5"h x 12'w | 3.604"h x 6.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 6'3"h x 12'w Jr. Poster | 6'3"h x 12'w | 3.625"h x 6.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 8'h x 20'w | 8'h x 20'w | 4.5"h x 10.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 8'h x 24'w | 8'h x 24'w | 4.5"h x 12.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| MECHANICAL SET-UP | Bulletin 8'h x 32'w | 8'h x 32'w | 4.5"h x 16.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| HANICA | Bulletin 8'h x 34'w | 8'h x 34'w | 4.5"h x 17.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| MEG | Bulletin 9'2"h x 24'6"w | 9'2"h x 24'6"w | 5.083"h x 12.75"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'h x 24'w | 10'h x 24'w | 5.5"h x 12.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'h x 24'4"w | 10'h x 24'4"w | 5.5"h x 12.666"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'h x 28'w | 10'h x 28'w | 5.5"h x 14.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'h x 30'w | 10'h x 30'w | 5.5"h x 15.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'h x 32'w | 10'h x 32'w | 5.5"h x 16.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'h x 36'w | 10'h x 36'w | 5.5"h x 18.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'h x 40'w | 10'h x 40'w | 5.5"h x 20.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |

| | PRINT MATERIAL | FINISHED HEM | BLEED | POCKET | DPI |
|-------------------|--------------------|-----------------|-------|--------|-----|
| | 7oz Seamless Vinyl | 6'5"h x 12'5"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 7'h x 13'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 7′2″h x 13′w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 7'2.5"h x 13'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 7′3″h x 13′w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 9'h x 21'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 9'h x 25'w | 3" | 3" | 150 |
| FINISHING DETAILS | 7oz Seamless Vinyl | 9'h x 33'w | 3" | 3" | 150 |
| ISHING | 7oz Seamless Vinyl | 9'h x 35'w | 3" | 3" | 150 |
| F. | 7oz Seamless Vinyl | 10'2"h x 25'6"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'h x 25'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'h x 25'4"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'h x 29'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'h x 31'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'h x 33'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'h x 37'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'h x 41'w | 3" | 3" | 150 |

1:24 scale | .5" equals 1' specs and finishing



THE BULLETIN: Ranging from smaller size to traditional size billboards. All printed on vinyl which allows for the reuse of the same vinyl and increases life span of creative. With vinyl there is the added option of extensions.

| | PRODUCT | LIVE AREA | FILE SET-UP SIZE | FILE SET-UP NOTES |
|-------------------|--------------------------|-----------------|-------------------|--|
| | Bulletin 10'h x 50'w | 10'h x 50'w | 5.5"h x 25.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'6"h x 24'w | 10'6"h x 24'w | 5.75"h x 12.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'6"h x 29'w | 10'6"h x 29'w | 5.75"h x 15"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'6"h x 32'w | 10'6"h x 32'w | 5.75"h x 16.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'6"h x 36'w | 10'6"h x 36'w | 5.75"h x 18.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'6"h x 40'w | 10'6"h x 40'w | 5.75"h x 20.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'6"h x 40'6"w | 10'6"h x 40'6"w | 5.75"h x 20.75"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'6"h x 42'w | 10'6"h x 42'w | 5.75"h x 21.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| T-UP | Bulletin 10'7"h x 36"w | 10'7"h x 36"w | 5.791"h x 18.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| MECHANICAL SET-UP | Bulletin 10'7"h x 38'6"w | 10'7"h x 38'6"w | 5.791"h x 19.75"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| MECHAN | Bulletin 10'7"h x 40'w | 10'7"h x 40'w | 5.791"h x 20.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 10'7"h x 40'6"w | 10'7"h x 40'6"w | 5.791"h x 20.75"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 12'h x 25'w | 12'h x 25'w | 6.5"h x 13"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 12'h x 36'w | 12'h x 36'w | 6.5"h x 18.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 12'h x 40'w | 12'h x 40'w | 6.5"h x 20.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 12'h x 48'w | 12'h x 48'w | 6.5"h x 24.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 12'h x 50'w | 12'h x 50'w | 6.5"h x 25.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 14'h x 40'9"w | 14'h x 40'9"w | 7.5"h x 20.88"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 14'h x 48'w | 14'h x 48'w | 7.5"h x 24.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 16'h x 50'w | 16'h x 50'w | 8.5"h x 25.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |

| | PRINT MATERIAL | FINISHED HEM | BLEED | POCKET | DPI |
|-------------------|--------------------|------------------|-------|--------|-----|
| | 7oz Seamless Vinyl | 11'h x 51'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'6"h x 25'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'6"h x 30'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'6"h x 33'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'6"h x 37'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'6"h x 41'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'6"h x 41'6"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'6"h x 43'w | 3" | 3" | 150 |
| ILS | 7oz Seamless Vinyl | 11'7"h x 37'w | 3" | 3" | 150 |
| FINISHING DETAILS | 7oz Seamless Vinyl | 11'7"h x 39'6" | 3" | 3" | 150 |
| FINISHI | 7oz Seamless Vinyl | 11'7"h x 41'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 11'7"h x 41'6"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 13'h x 26'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 13'h x 37'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 13'h x 41'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 13'h x 49'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 13'h x 51'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 15'h x 41'9"w 3" | | 3" | 150 |
| | 7oz Seamless Vinyl | 15'h x 49'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 17'h x 51'w | 3" | 3" | 150 |

1:24 scale | .5" equals 1' specs and finishing | (



THE BULLETIN: Ranging from smaller size to traditional size billboards. All printed on vinyl which allows for the reuse of the same vinyl and increases life span of creative. With vinyl there is the added option of extensions.

| | PRODUCT | LIVE AREA | FILE SET-UP SIZE | FILE SET-UP NOTES |
|-------------------|---------------------------|------------------|---------------------|--|
| | Bulletin 20'h x 19'3"w | 20'h x 19'3"w | 10.5"h x 10.125"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 20'h x 32'w | 20'h x 32'w | 10.5"h x 16.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 21'h x 60'w | 21'h x 60'w | 11"h x 30.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 21'3"h x 32'w | 21'3"h x 32'w | 11.125"h x 16.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 22'3"h x 40'1"w | 22'3"h x 40'1"w | 11.625"h x 20.541"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 23'3"h x 26'6"w | 23'3"h x 26'6"w | 12.125"h x 13.75"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 24'h x 30'w | 24'h x 30'w | 12.5"h x 15.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 24'7"h x 31'3"w | 24'7"h x 31'3"w | 12.791"h x 16.125"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| MECHANICAL SET-UP | Bulletin 24'9"h x 31'3"w | 24'9"h x 31'3"w | 12.875"h x 16.125"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| HANICA | Bulletin 24'9"h x 36'w | 24'9"h x 36'w | 12.875"h x 18.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| MEC | Bulletin 24'10"h x 31'3"w | 24'10"h x 31'3"w | 12.916"h x 16.125"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 25'3"h x 36'w | 25′3″h x 36′w | 13.125"h x 18.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 25'6"h x 36'6"w | 25'6"h x 36'6"w | 13.25"h x 18.75"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 26'h x 25'w | 26'h x 25'w | 13.5"h x 13"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 26'1"h x 39'3"w | 26'1"h x 39'3"w | 13.542"h x 10.125"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 26'6"h x 23'3"w | 26'6"h x 23'3"w | 13.75"h x 12.125"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 26'6"h x 40'5"w | 26'6"h x 40'5"w | 13.75"h x 20.708"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 27'2"h x 36'w | 27'2"h x 36'w | 14.083"h x 18.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |
| | Bulletin 28'h x 26'w | 28'h x 26'w | 14.5"h x 13.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. |

| | PRINT MATERIAL | EINIGHED HEM | BLEED | POCKET | DDI |
|-------------------|--------------------|------------------|-------|--------|-----|
| | | FINISHED HEM | | | DPI |
| | 7oz Seamless Vinyl | 21"h x 20'3" | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 21'h x 33'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 22'h x 61'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 22'3"h x 33'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 23'3"h x 41'1"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 24'3"h x 27'6"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 25'h x 31'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 25'7"h x 32'3"w | 3" | 3" | 150 |
| ETAILS | 7oz Seamless Vinyl | 25'9"h x 32'3"w | 3" | 3" | 150 |
| FINISHING DETAILS | 7oz Seamless Vinyl | 25'9"h x 37'w | 3" | 3" | 150 |
| E N | 7oz Seamless Vinyl | 25'10"h x 32'3"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 26'3"h x 37'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 26'6"h x 37'6"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 27'h x 26'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 27'1"h x 40'3"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 27'6"h x 24'3"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 27'6"h x 41'5"w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 28'2"h x 37'w | 3" | 3" | 150 |
| | 7oz Seamless Vinyl | 29'h x 27'w | 3" | 3" | 150 |

1:24 scale | .5" equals 1' specs and finishing



THE SPECTACULARS: Spectaculars are uniquely-shaped bulletins wrapped in vinyl. The Shape can help your message stand out from the crowd and command maximum attention.

| PRODUCT | UNIT# | LIVE AREA | FILE SET-UP SIZE | FILE SET-UP NOTES | | PRINT MATERIAL | FINISHED HEM | BLEED | POCKET | DPI |
|---------------------------|----------------|-----------------|--------------------|---|---------|--------------------|-----------------|-------|--------|-----|
| Wrap 10' x 30' | 8353 | 10'h x 30'w | 6"h x 16"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. | | 7oz Seamless Vinyl | 12'h x 32'w | 12" | 3" | 150 |
| Wrap 19'3" x 20' | F8335 G8335 | 19'3"h x 20'w | 10.125"h x 10.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. | DETAILS | 7oz Seamless Vinyl | 20'3"h x 21'w | 3" | 3" | 150 |
| Wrap 25'3" x 36' | 8125 28125 | 25'3"h x 36'w | 13.25"h x 18.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. | SHING | 7oz Seamless Vinyl | 26'3"h x 37'w | 3" | 3" | 150 |
| Wrap 26'9" x 24'6" | 5084 25084 | 26'9"h x 24'6"w | 13.875"h x 12.75"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. | N.E. | 7oz Seamless Vinyl | 27'9"h x 25'6"w | 3" | 3" | 150 |
| Vertacular 36'3" x 12' | F8111 G8111 | 36'3"h x 12'w | 18.625"h x 6.5"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.5" inside all sides of the file for safety area. | | 7oz Seamless Vinyl | 37'3"h x 13'w | 3" | 3" | 150 |

THE POSTER: Poster sized and printed on thin vinyl that is posted with clips instead of paste.

| <u>e</u> | PRODUCT | LIVE AREA | FILE SET-UP SIZE | FILE SET-UP NOTES | ᆵ | PRINT MATERIAL | FINISHED HEM | BLEED | POCKET | DPI |
|----------|-----------------|---------------------|--------------------|---|-------|--|----------------------|-------|--------|-----|
| SET-(| Eco-Flex Poster | 10'4.5"h x 22'7.5"w | 5.208"h x 11.166"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.25" inside all sides of the file for safety area. | FINIS | 3.2 oz Polyethylene Formetco System | 10''4.5"h x 22'7.5"w | FULL | N/A | 150 |

THE TRIVISION: Showcases 3 different ads/clients by use of tall vertical prisms that rotate on a set schedule. (Please confirm with AOA Rotapanel or Formetco 12x24 unit.)

| | PRODUCT | LIVE AREA | FILE SET-UP SIZE | FILE SET-UP NOTES | | PRINT MATERIAL | FINISHED HEM | LOUVER | WIDTH | DPI |
|-------|---|---------------|-------------------|--|-------|------------------------|--------------------|--------|--------|-----|
| 4 | Trivision 12' x 24' 28226, 28097, P990, 28332 | 12'h x 24'w | 5.958"h x 12"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.375" inside all sides of the file for safety area. | | 15pt. Calendered Vinyl | 11'11"h x 24'w | 48 | 5.375" | 150 |
| SET-1 | Trivision 10'6" x 36' | 10'6"h x 36'w | 5.208"h x 18"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.375" inside all sides of the file for safety area. | FINIS | 15pt. Calendered Vinyl | 10'5"h x 36'w | 72 | 5.375" | 150 |
| | Trivision 10' x 30' | 10'h x 30'w | 4.51"h x 14.515"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.375" inside all sides of the file for safety area. | | 15pt. Calendered Vinyl | 9'1/4"h x 29'3/8"w | 84 | 3.74" | 150 |

THE BACKLIT: Printed on semi-transparent backlit vinyl. Backlits allow for light to shine through the board creating an eye-catching visual for evening viewers.

| T-UP | PRODUCT | LIVE AREA | FILE SET-UP SIZE | FILE SET-UP NOTES | AILS | PRINT MATERIAL | FINISHED HEM | BLEED | POCKET | DPI |
|----------|--------------------------------------|-----------------|--------------------|---|---------|-------------------------------------|-----------------|-------|--------|-----|
| IICAL SE | Tuomey Backlit 10'4" x 22'7" 8113 | 10'4"h x 22'7"w | 5.667"h x 11.792"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.75" inside all sides of the file for safety area. | NG DETA | Backlit 15oz Vinyl 100% on front | 11'4"h x 23'7"w | 3" | 3" | 150 |
| MECHAN | Backlit Bulletin 10'6" x 36' | 10'6"h x 36'w | 6"h x 18.75"w | 300 dpi/CMYK. Bleed art to edge, but leave at least 0.75" inside all sides of the file for safety area. | FINISH | Backlit 15oz Vinyl 100% on front | 10'6"h x 36'w | 3" | 3" | 150 |

4 scale | .5" equals 1' specs and finishing | O4



DIGITAL FILE NAMING: Advertiser_ArtName_PixelFileSize(WxH)_Date(MM-DD-YY)
Example: McDonalds_3DollarMealDeal_888x260_01-03-25.jpg

Adams Outdoor reserves the right to reject files that are not created to size and naming specs. Please double check sizing and naming of files prior to sending.

Digital files must be received by noon for same day posting.

THE DIGITAL: Digital spots that are uploaded to the billboard at any time of day. Creative is dynamic and can utilize day-parting, RSS feeds and much more.

| PRODUCT | LIVE AREA | FILE SET-UP SIZE | FILE SET-UP NOTES |
|--|-----------------|--------------------|--|
| Digital Poster 10'6" x 22' 2nd Loop & Evans: G4096 | 10'6"h x 22'w | 420px w x 200px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Digital Poster 11'6" x 23' North Irby St: F8396, G8396 | 11'6"h x 23'w | 440px w x 220px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Digital Poster 11'6" x 24' Hoffmeyer: F7084 & Lake City: F8393 | 11'6"h x 24'w | 460px w x 220px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Digital Poster 12'3" x 24'3" | 12'3"h x 24'3"w | 460px w x 220px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Digital Bulletin 10'x30' Hwy 15/521: F8402 & 52 Bypass G8266 | 10'h x 30'w | 540px w x 180px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Digital Bulletin 10'x30' | 10'h x 30'w | 600px w x 180px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Digital Bulletin 10'x30' 2nd Loop: F5432, G5432 | 10'h x 30'w | 896px w x 288px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Digital Bulletin 10'6" x 36' W.Palmetto St: G8394 & Hartsville: F8397 | 10'6"h x 36'w | 680px w x 200px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Digital Bulletin 10'6" x 36' D. MeLeod: F8133, G8133 & Five Pts: G8188 | 10'6"h x 36'w | 1088px w x 320px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Digital Bulletin 14' x 48' | 14' h x 48'w | 1088px w x 320px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Digital Bulletin 12' x 36' 68403 & 68411 | 12'h x 36'w | 540px w x 180px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Sumter: Digital Bulletin 10' x 30' Broad: G8400 & Manning: G8374 | 10'h x 30'w | 540px w x 180px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Sumter: Digital Bulletin 10' x 30' Shaw: 22170 & Liberty: 83061 | 10'h x 30'w | 896px w x 288px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Sumter: Digital Bulletin 10'6" x 36' Broad St: F8348 | 10'6"h x 36'w | 680px w x 200px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |
| Digital Bulletin 12' x 36' | 12'h x 36'w | 1800px w x 600px h | 72 dpi/RGB/JPEG. Bleed art to edge, but leave at least 5px inside all sides of the file for safety area. |


1:24 scale | .5" equals 1' specs and finishing | 05



EXTENSION GUIDELINES: Extensions are areas that extend beyond the frame of the billboard, either to the left, right, or above the standard area. Regulations vary for each bulletin. Please contact your Account Executive about special projects and pricing.

Standard Bulletin Maximum Extensions: 4' off the top, 2' off the sides. Combined square footage for all extensions may not exceed 152 sq. ft.

ALL EXTENSIONS AND EXCEPTIONS MUST BE APPROVED BY ADAMS OUTDOOR.



UPLOAD YOUR FILES TO ADAMS OUTDOOR ADVERTISING

CLIENT (to upload): http://filetrans.adamsoutdoor.com/login.cfm

u: adams

p: OutdOOr (O's are zeroes)

- In the top left click on, "Upload New File"
- Fill out required fields.
- Choose file and click "upload"
- Once prompted that the file was uploaded. Click "Save" to complete the file upload.

Please avoid using generic file names. We suggest including the client name and date.

Address for shipping materials: 3205 Industry Blvd. Florence, SC 29501

1:24 scale | .5" equals 1' specs and finishing